

footmisc —
a portmanteau package
for customizing footnotes in L^AT_EX*

Robin Fairbairns[†] Frank Mittelbach[‡]

March 10, 2025

Copyright statement

Program: `footmisc.dtx`

Copyright 1995–2011 Robin Fairbairns

Copyright 2018–2025 Robin Fairbairns, Frank Mittelbach

This program is offered under the terms of the L^AT_EX Project Public License, version 1.3c of this license or (at your option) any later version. The latest version of this license is in <https://www.latex-project.org/lppl.txt>, and version 1.3c or later is part of all distributions of L^AT_EX version 2008 or later.

This work has the LPPL maintenance status ‘maintained’.

Contents

1	User interface — package options	3
1.1	Option <code>perpage</code>	3
1.2	Option <code>para</code>	3
1.3	Option <code>side</code>	4
1.4	Option <code>ragged</code> and <code>\footnotelayout</code>	4
1.5	Option <code>symbol</code>	4
1.6	Option <code>symbol*</code>	5
1.7	The <code>\setfnsymbol</code> and <code>\DefineFNSymbols</code> commands	5
1.8	Options altering the footnotes/floats relationship	5
1.8.1	Option <code>bottom</code>	6
1.8.2	Option <code>bottomfloats</code>	6
1.8.3	Options <code>abovefloats</code> and <code>belowfloats</code>	6
1.8.4	Combining the four options	6
1.8.5	Fixing a strange behavior of L ^A T _E X	7
1.9	Option <code>marginal</code>	7
1.10	Option <code>flushmargin</code>	7
1.11	Option <code>hang</code>	7

*This file has version number v7.0a, last revised 2025/03/10

[†]Formerly: University of Cambridge Computer Laboratory, Cambridge, UK

[‡]Responsible maintainer since 2018

1.12	Option <code>norule</code>	8
1.13	Option <code>splitrule</code>	8
1.14	The <code>stable</code> option	8
1.15	The <code>multiple</code> option	8
1.16	User interface — miscellaneous commands	9
2	User interface — interactions with other packages	9
3	Code: Preliminaries	10
4	Package options	10
4.1	The <code>symbol</code> option	10
4.2	The <code>symbol*</code> option	11
4.3	The <code>para</code> option	11
4.4	The <code>side</code> option	11
4.5	The <code>ragged</code> option	12
4.6	The <code>perpage</code> option	12
4.7	The <code>PPdebug</code> option	12
4.8	Fixing the L ^A T _E X misbehavior with respect to spacing	12
4.9	The footnote/float placement options	12
4.9.1	The <code>abovefloats</code> , <code>belowfloats</code> options	13
4.9.2	The <code>bottom</code> option	13
4.9.3	The <code>bottomfloats</code> option	13
4.10	The <code>marginal</code> option	13
4.11	The <code>flushmargin</code> option	13
4.12	The <code>hang</code> option	14
4.13	The <code>norule</code> option	14
4.14	The <code>splitrule</code> option	14
4.15	The <code>stable</code> option	15
4.16	The <code>multiple</code> option	15
4.17	The start of the endgame	15
5	Interfacing with the output routine	15
5.1	Handling paragraph footnotes	15
5.2	Not fixing the L ^A T _E X bottom skip bug	15
5.3	The configuration of the <code>build/column/outputbox</code> socket based on options	16
5.4	The requirements of <code>\@footnotetext</code>	17
5.5	Support code for paragraph footnotes	19
5.6	The other footnote commands	21
6	Remaining requirements	23
6.1	The code that executes the <code>multiple</code> option	23
6.2	The code that executes the <code>stable</code> option	24
7	Symbol option variants	25
8	Other miscellaneous commands	29
8.1	Minipage <code>\footnotemarks</code>	29

History

This package originated as support of a personal project, which I (Robin) was switching to L^AT_EX 2_ε over the Christmas holiday period of 1993, using the first β release.

In its first form, it was known as the “footnote” package, but by the time I had released it to CTAN, that name had already been used by a package written by Mark Wooding. So the package is now known (as you can see) as “footmisc”.

Frank took over maintenance in 2018 but due to other commitments never got around finishing the changes he started to make in 2018.

In 2022 a few new options (`abovefloats`, `belowfloats`, and `bottomfloats`) got introduced and the package now works with `hyperref` regardless of loading order. There are however, still a few restrictions when using both packages together, in particular the `multiple` option does not fully work.

1 User interface — package options

The `footmisc` package provides several different customizations of the way footnotes are represented in L^AT_EX 2_ε documents (the sources of the code in this package are various, but all of it has been massaged by the author; where the code comes from elsewhere, there are attributions given below, somewhere or other).

The interface to the package’s options is mostly rather simple — each one is presented as an option in the `\usepackage` command, and for most, nothing else needs to be done. For example, to use a useful and consistent set, the author invokes the package with the command `\usepackage[perpage,para,symbol*]{footmisc}`.

For a small number of options, there are additional parameters available; these are described in the subsections below.

1.1 Option `perpage`

This option resets footnote numbering for each page of the document. It needs at least two passes to do this correctly (though it comes as close as possible on the first pass). You generally have to make two passes with L^AT_EX anyway, to get the cross-references right, so an additional pass for this purpose shouldn’t cause any additional problem. The option includes code to report that ‘*Label(s) may have changed*’, which will help the poor user to realize that (yet) another run is in order.

1.2 Option `para`

This option (derived from code by Dominik Wujastyk and Chris Rowley) causes footnotes to be typeset as a single paragraph at the bottom of the page on which they occur. In the case that there is only one footnote on the page, no effect will be observed. However, if there are several footnotes on the page, they will be run together in the page foot, each introduced by its footnote mark. The original demand for the option came from the needs of those preparing critical editions; such documents typically have large numbers of small footnotes, which look ridiculous if each is typeset in a paragraph of its own; in most other disciplines, such multiplicities of footnotes represent mere self-indulgence: the author of this package is disgracefully guilty of this.

Please note that “old” L^AT_EX installations may have problems with the algorithm for `para` footnotes on very wide pages (for example, those used by the `a0poster` class). Recent L^AT_EX installations use an improved technique that is believed not to be susceptible to this problem.

1.3 Option `side`

This option (suggested by Frank Mittelbach) causes footnotes to be typeset using the `\marginpar` command: this has the advantage that the note appears close to its “call-up”, but has all the disadvantages associated with the `\marginpar` command (which consumes ‘float’ slots, and doesn’t always place itself correctly at the top of pages in two-sided documents). Since the measure in which the footnote is to be typeset is likely to be pretty narrow, users of the `side` option are recommended also to use the `ragged` option, to avoid ugly spacing and line breaks.

There is a further problem (apart from the occasional failure to place the marginal note on the correct side of the page) in two-sided documents: one would like ‘raggedness’ to appear differently in different margins (setting the left, rather than the right, side ragged in the left margin). (The author would welcome suggestions on means of addressing the problem.)

1.4 Option `ragged` and `\footnotelayout`

The package provides facilities for ragged right setting of footnotes (so long as the `para` option isn’t in effect). The change is effected by use of the command `\footnotelayout`; the package inserts this command into the start of the argument of `\footnotetext` (in effect: `\footnote` works, roughly, by calling the guts of `\footnotetext` at its end).

If you want to use some special effect other than ragged right, feel free to change `\footnotelayout` yourself: some intriguing (and completely undesirable) results are no doubt available. Change the setting simply by use of `\renewcommand\footnotelayout...`. The `ragged` option simply sets `\footnotelayout` to set `\raggedright` or `\RaggedRight` as appropriate. (If you intend to use the `ragged2e` package, load it before `footmisc` — if `footmisc` finds `\RaggedRight` is available, it automatically uses it in place of `\raggedright`.)

1.5 Option `symbol`

This option simply establishes that footnotes are ‘labelled’ by a symbol sequence. The command used is equivalent to that suggested in L^AT_EX manuals such as Lamport’s (the job performed by the option is very simple, and doesn’t really need a package).

Using symbols to ‘number’ your footnotes can be problematic: there is a limited number of symbols, and L^AT_EX will report an error if your footnotes exceed that limit. To avoid such problems, consider the `symbol*` option, or the `\setfnsymbol` command (see the next two sections), or number your footnotes by the page (see section 1.1).

1.6 Option `symbol*`

This is the `symbol` option, but with protection against the tedium that arises because of the instability of the `perpage` option. When executing the `perpage` option, the package often allocates footnotes to the wrong pages, only to correct itself on a later run (having warned the user of the need for the later run with a ‘*Label(s) may have changed*’ message). In these circumstances the `symbol` option is prone to producing L^AT_EX errors, which stop processing, and confound automatic generation procedures. In the same situation, the `symbol*` option produces information messages and a warning message at end document, and the user may scan the log for those messages *after* processing has stabilized. The option produces numbers (17 and higher, in the case of the default symbol set) in place of symbols, when the footnote number is too large.

1.7 The `\setfnsymbol` and `\DefineFnsymbols` commands

NOTE: *At some point in the past this interface got extended, but the documentation lags behind so this needs updating.*

These commands permit the definition and use of alternative (ordered) sets of symbols for numbering footnotes. L^AT_EX of course comes with such a set ready-defined, but the choice of symbols isn’t universally loved.

You may define a set of symbols with the `\DefineFnsymbols` command. L^AT_EX’s default set would be defined by the command:

```
\DefineFnsymbols*{lamport}{*\dagger\ddagger\S\P\|}%
  {**}{\dagger\dagger}{\ddagger\ddagger}}
```

Defined this way, the symbol set produces a “counter too large” error; a robust version of the set (cf. the `symbol*` option (see 1.6)) is established by using the `\DefineFnsymbols` command without the optional `*`. You may select a set of symbols by use of the `\setfnsymbol` command; so to restore use of the default set, you would type:

```
\setfnsymbol{lamport}
```

This package defines a small selection of alternative sets of symbols, using `\DefineFnsymbols`:

```
bringhurst * † ‡ § || ¶
chicago   * † ‡ § || #
wiley      * ** † ‡ § ¶ ||
```

together with a version of Lamport’s original set that, with doubled versions of § and ¶, and tripled versions of everything but the vertical bars, provides a symbol range to cover counters up to 16.

This last set, known as `lamport*` is selected as the default symbol set by the package.

1.8 Options altering the footnotes/floats relationship

In L^AT_EX the default order on a page is “page text” followed by “footnotes” (if any) followed by “bottom floats” (if any). The spacing between the three components

depends of whether pages are always stretched to the same height (`\flushbottom` as used by the book class) or if they can run short (`\raggedbottom` as used by the article or report class). If `\raggedbottom` is in force, then L^AT_EX would normally set the footnotes a mere `\skip\footins` distant from the bottom of the text and bottom floats follow separated by `\textfloatsep`. Both spaces might get stretched if `\flushbottom` is in force.

New: 2022-02

If you want to diverge from this default placement, then there are a number of alterations that can be made:

- the order of footnotes and floats can be swapped; and
- both footnotes and floats can be forced to the bottom (i.e., `\raggedbottom` then only applies to pages with neither), or
- only one of them is forced to the bottom, the other stays close to the text.

These can be achieved by applying one or more of the options discussed below.

1.8.1 Option `bottom`

This option forces footnotes (but not the floats) to the bottom of the page and therefore by default also implies `belowfloats`. If `\raggedbottom` is in force then the excess space goes above the footnotes if any are present. If `\flushbottom` is in force there is no visible difference to just specifying `belowfloats`.

1.8.2 Option `bottomfloats`

New: 2022-02

If you want force only floats to the bottom while the footnotes stay close to the text use the option `bottomfloats`. If not overwritten this implies `abovefloats`.

1.8.3 Options `abovefloats` and `belowfloats`

New: 2022-02

These two options describe the footnote placement with respect to floats on the page. L^AT_EX's default is `abovefloats`, but it can still be useful to specify it because it fixes the bug discussed in section 1.8.5.

1.8.4 Combining the four options

New: 2022-02

By default, `bottom` and `bottomfloats` options put any excess space (i.e., when `\raggedbottom` is in force) between floats and footnotes if both are present on a given page. If only one of them is present, the excess space goes below the text. If you prefer both footnotes and floats at the bottom instead, you can achieve this as follows:

`bottom,abovefloats` This puts the footnotes above any floats and both at the bottom when present.

`bottomfloats,belowfloats` This puts floats and footnotes at the bottom but footnotes last if both are present. If there are only footnotes they are still placed at the very bottom (think of them as being placed below the float “area” even if that has no floats inside).

The other combinations are duplicates, e.g., `bottom,belowfloats` is the same as just specifying `bottom`.

1.8.5 Fixing a strange behavior of L^AT_EX

New: 2022-02

In the default case (if `footmisc` is not loaded) L^AT_EX shows a somewhat strange discrepancy: on most pages the footnotes are attached a distance of `\skip\footins` from the main text, even if that page is run short (i.e., with `\raggedbottom` in force). However, whenever there is some infinite stretch at the end of the page, e.g., from using `\newpage` or `\clearpage` the footnotes are pushed to the bottom (in particular on the last page of a document or chapter).

This is automatically corrected if `footmisc` is loaded with any of the options that deal with footnote placement, i.e., `abovefloats`, `belowfloats`, `bottom`, or `bottomfloats`. In particular, if you want to have the standard L^AT_EX placement (but with this strange behavior fixed, apply `abovefloats` (which is the normal order but with the bug fixed).

1.9 Option `marginal`

This option adjusts the position of footnote mark relative to the start of the line in which they appear (the option is incompatible with option `para`, for obvious reasons).

When this option is in effect, the footnote is set `\footnotemargin` relative to the left margin of the page; the default setting for `\footnotemargin` is `-0.8em`, which means that the footnote mark will be set jutting `0.8em` into the margin. If `\footnotemargin` is a positive length, the footnote mark will be set with its right edge `\footnotemargin` from the margin. (In the absence of the option, `\footnotemargin` is set to `1.8em`; you may change that value with a `\setlength` command.)

1.10 Option `flushmargin`

This option is as option `marginal`, but sets the footnote marker flush with, but just inside the margin from, the text of the footnote.

1.11 Option `hang`

This option sets the footnote mark flush with the margin, and makes the body of the footnote hang at an indentation of `\footnotemargin` (if that is a positive distance), or the width of the marker (if `\footnotemargin ≤ 0`). The option code itself leaves `\footnotemargin` at its default value of `1.8em`.

The footnote itself may of course be longer than one paragraph; if so, the paragraphs will be separated by the vertical space specified by `\hangfootparskip`, and the second and subsequent paragraphs are indented by `\hangfootparindent`. Default values are:

```
\hangfootparskip    0.5\baselineskip
\hangfootparindent  0em
```

The user may redefine these values (using `\renewcommand`): it is best to use the font-size-dependent measures (multiples of `\baselineskip` for the skip, multiples of `em` for the indent). Note that the default has only one of the two values non-zero; both zero may result in easily-missed paragraph breaks, and both non-zero is not generally thought to be a good-looking option.

1.12 Option `norule`

This option suppresses the ‘normal’ footnote rule, and advances `\skip\footins` a bit to compensate

1.13 Option `splitrule`

This option makes puts a full-width rule above the split-off part of a split footnote. (Remember that split footnotes don’t happen if you’re doing paragraph footnotes.)

The option provides three different `\footnoterule` commands:

<code>\mpfootnoterule</code>	for use in minipages
<code>\pagefootnoterule</code>	for normal footnotes on regular pages
<code>\splitfootnoterule</code>	for the tail of a split footnote

By default, `\mpfootnoterule` and `\pagefootnoterule` retain the original definition of `\footnoterule` (which may have been modified by a `norule` option), while `\splitfootnoterule` becomes a full-width rule.

1.14 The stable option

This option deals with the problem of placing footnotes in section titles (and so on). While there is (sometimes, just) justification for putting footnotes in titles, \LaTeX ’s treatment of the content of titles militates against them. Of course, the title argument is ordinarily a moving one, and `\footnote` is a fragile command, but the real problem comes from the way the argument actually moves — which is to two places. The argument moves to the table of contents, where the footnote will (at least) look odd. But the argument also moves to the marks that make up page headers, etc., and *there* it creates havoc, since page headers are executed in page make-up, and page make-up *must not* create footnotes.

If you use the `stable` option, the footnote won’t move to the table of contents or the page headers, but it will be typeset correctly within the title itself.

The situation with `\footnotemark` is less dire (it could in principle appear in page headers, for example); footnote marks appearing on pages other than where their text appears are none the less confusing, and the `stable` option treats `\footnotemark` in the same way that it treats `\footnote`.

1.15 The multiple option

This option deals with the case where the author needs to type things like

```
mumble\footnote{blah}\footnote{grumble}
```

Without special treatment, \LaTeX would output something like

```
mumble1314
```

What the `multiple` option makes of the above is

```
mumble13,14
```

which is what most people would expect. The comma separator actually derives from the definition of `\multfootsep`, which may be changed by `\renewcommand` if the option is in effect.

The option also treats `\footnotemark` in the same way.

1.16 User interface — miscellaneous commands

The package also defines some miscellaneous footnote-related commands. The present group provides alternative means of producing footnote marks: `\footref` and `\mpfootnotemark`.

When you're in a minipage, `\footnote` numbers run according to the minipage's own footnote counter, and the marks are set in italic letters. However, the numbers used by `\footnotemark` make reference to the 'main' footnote counter, and are set in whatever is the current style for that: this behavior often surprises, and there's no obvious way in standard L^AT_EX to "get around" it. The command `\mpfootnotemark` gets around this problem in a minipage, by generating footnote marks in the same way as those used by `\footnote`.

In fact, making reference to footnotes in general can be problematic: it can be done by noting down the value of the footnote marker in a counter (or the like) and then using the value in a subsequent `\footnotemark` or `\mpfootnotemark`. This is a tedious way of going about things, and doesn't allow representation of all possible forms of footnote mark; `\footref` is a form of reference command that sets the reference as if it were a footnote.¹ The label should be set *within* the argument of the footnote command that is being labelled:

```
... \footnote{Note text\label{fnlabel}}
...
... potato head\footref{fnlabel}
```

2 User interface — interactions with other packages

The `footmisc` package modifies several parts of the L^AT_EX kernel; what gets modified depends on the options you select. This behavior can cause problems with other packages, particularly those that also modify the kernel.

Known interactions are:

`setspace` The `setspace` package modifies the way line spacing is calculated in footnotes. `Footmisc` knows about this, and preserves the change. However, you *must* load `setspace` *before* `footmisc`.

`memoir class` The class emulates `setspace`, and we detect that emulation and deal with it in the same way as `setspace`.

`manyfoot` The `manyfoot` package permits several independent sequences of footnotes. Some preliminary work towards interworking with `footmisc` has been completed, but more remains to be done at the time of writing.

`hyperref` The `hyperref` package works together with `footmisc` (as proved by this documentation), but at this point in time not all options of `footmisc` can be used — this will change over time.

¹This command is already provided by the L^AT_EX format.

3 Code: Preliminaries

Well — here we go: let’s make the package file:

```
1 (*package)
```

Now declare what environment we need: version 6 needs a fairly recent L^AT_EX.

```
2 \NeedsTeXFormat{LaTeX2e}[2020/10/01]
```

Version 7 makes use of the new sockets in the L^AT_EX output routine, which are available starting with release 2025-06. So if this file runs with an earlier kernel, we use version 6 instead and the current file ends with the next line.

```
3 \IfFormatAtLeastF{2025-06-01}{\input{footmisc-2022-02-14.sty}\endinput}
```

The rest is the code for version 7.

We need a token register in case we have to patch `\@makecol`:

```
4 \newtoks\FN@temptoken
```

`\protected@writeaux` This command is defined for future compatibility with Matt Swift’s `newclude` package (still, after all this time, not out of beta status).

```
5 \providecommand\protected@writeaux{%
6   \protected@write\@auxout
7 }
```

`\l@advance@macro` We make the following (`\@@dvance@macro`) generalizable as follows (the global `\@@dvance@macro` form isn’t used in this package ... yet):

```
\@advance@macro
8 \def\l@advance@macro{\@@dvance@macro\edef}
9 \def\@@dvance@macro#1#2#3{\expandafter\@tempcnta#2\relax
10  \advance\@tempcnta#3\relax
11  #1#2{\the\@tempcnta}%
12 }
```

Now we define a jolly little macro to advance a macro count (`#1`) by a given amount (`#2`).

```
13 \let\@advance@macro\l@advance@macro
```

`\footnotemargin` Finally, we define the length used by the `marginal` option, and initialize it as if we’ve not had the option.

```
14 \newdimen\footnotemargin
15 \footnotemargin1.8em\relax
```

4 Package options

Most of the code of the package is contained within the option processing, one way or another (that which isn’t, is executed after `\ProcessOptions` as a result of flags set in the option processing).

4.1 The symbol option

This is a declaration that appears in the original L^AT_EX book. Since it appeared in the old `pagefoots.sty` (presumably since it goes so naturally with the `perpage` option), I’ve added this trivial piece of customization to the package.

```
16 \DeclareOption{symbol}{\renewcommand\thefootnote{\fnsymbol{footnote}}}
```

4.2 The symbol* option

The robust version of the `symbol` option: if the current ‘symbol’ option doesn’t provide enough variants, use arabic footnote number. We use a robust version of the “extended ordinary” symbol set, described later (in section 1.7).

```
17 \newif\ifFN@robust \FN@robustfalse
18 \DeclareOption{symbol*}{%
19   \renewcommand\thefootnote{\@fnsymbol\c@footnote}%
20   \FN@robusttrue
21   \AtEndOfPackage{\setfnsymbol{lamport*-robust}}}%
22 }
```

4.3 The para option

The basis of the code for this option comes from `TEXbook`, p.398 ff. (“Dirty Tricks”), though it does (of course) avoid redefining `\` which has some other (somewhat significant) uses in `LATEX!` The user should be aware of Knuth’s note on the limitations of this method of doing the job: the `TEX` stack is used four times per footnote, and the stack is limited (see the `TEXbook`, p.300 ff.). If you have very large numbers of footnotes (in the hundreds), and encounter the error “! TeX capacity exceeded, sorry (... save size ...)”, you may need to break your text into smaller sections and compile the separately. Fortunately (say the comments on the original `fnpara.sty`) this is very easy to do with `LATEX`, provided that you reset the footnote counter to make the joins seamless.

`\ifFN@para` Define the `para` option: now simply sets a marker for use later when defining the option’s auxiliary code and when patching the output routine and so on.

```
23 \newif\ifFN@para \FN@parafalse
24 \DeclareOption{para}{\ifFN@sidefn
25   \PackageError{footmisc}{Option "\CurrentOption" incompatible with
26     option "side"}%
27   {I shall ignore "\CurrentOption"}}%
28 \else
29   \FN@paratrue
30 \fi
31 }
```

4.4 The side option

`\ifFN@sidefn` Simply changes the behavior of `\@footnotetext`; incompatible with paragraph footnotes.

```
32 \newif\ifFN@sidefn \FN@sidefnfalse
33 \DeclareOption{side}{\ifFN@para
34   \PackageError{footmisc}{Option "\CurrentOption" incompatible with
35     option "para"}%
36   {I shall ignore "\CurrentOption"}}%
37 \else
38   \FN@sidefntrue
39 \fi
40 }
```

4.5 The ragged option

`\footnotelayout` A very simple option that merely changes the definition of one macro. Note detection of the presence of the `ragged2e` package.

```
41 \let\footnotelayout\@empty
42 \DeclareOption{ragged}{%
43   \@ifundefined{RaggedRight}{%
44     {\renewcommand\footnotelayout{\linepenalty50 \raggedright}}%
45     {\renewcommand\footnotelayout{\linepenalty50 \RaggedRight}}%
46 }
```

4.6 The perpage option

`\ifFN@perpage` A footnote-numbering modification: a new algorithm replacing one from Brian T. Schellenberger, which has proved to be flawed. We simply set a marker here, and define code later depending on the state of the marker (see section 5.6).

```
47 \newif\ifFN@perpage
48 \FN@perpagefalse
49 \DeclareOption{perpage}{%
50   \FN@perpagetrue
51 }
```

4.7 The PPdebug option

`\ifFN@pp@debug` Sets a flag; the messages are generated in various places throughout the code. The option is not available in the package as distributed: modify the `.ins` file to generate a version of the package that includes the option, if you feel you need it.

```
52 < *PPdebug >
53 \newif\ifFN@pp@debug   \FN@pp@debugfalse
54 \DeclareOption{PPdebug}{\FN@pp@debugtrue}
55 < /PPdebug >
```

4.8 Fixing the L^AT_EX misbehavior with respect to spacing

`\ifFN@fixskip` We maintain a boolean to decide if we want to fix that, by default we don't but if any placement option is given we apply the fix.

```
56 \newif\ifFN@fixskip   \FN@fixskipfalse
```

4.9 The footnote/float placement options

We have up to three blocks on a page (four if you count top-floats but they don't matter here). If there is any excess space that needs to be added the question is where that goes:

1. above footnotes and floats;
2. between footnotes and floats;
3. after footnotes and floats;
4. nowhere in particular (everything is equally spaced out if `\flushbottom` is in force and close together otherwise).

We handle that with a 3-way switch differentiating the different bottom cases: `bottom`, `bottomfloats` or neither of the two options. Within those with split the coding based on whether or not `abovefloats` was given (explicitly or implicitly).

`\FN@bottomcases` We record in which case we want to be in `\FN@bottomcases`. The default is case 3 (no option).
`57 \let\FN@bottomcases\thr@@`

4.9.1 The `abovefloats`, `belowfloats` options

`\ifFN@abovefloats` All this needs to do is to set a flag to say that it should happen.
`58 \newif\ifFN@abovefloats \FN@abovefloatstrue`

4.9.2 The `bottom` option

`\ds@bottom` The `bottom` option implements case 1 and puts the footnotes by default below the floats.
`59 \DeclareOption{bottom}{%`
`60 \let\FN@bottomcases\@ne`
`61 \FN@abovefloatsfalse`
 We also state that we want to fix L^AT_EX space issue (as we do in all other options).
`62 \FN@fixskiptrue`
`63 }`

4.9.3 The `bottomfloats` option

`ds@bottomfloats` This option is for case 2. By default the footnotes are above (close to the text).
`64 \DeclareOption{bottomfloats}{%`
`65 \let\FN@bottomcases\tw@`
`66 \FN@abovefloatstrue \FN@fixskiptrue`
`67 }`

`ds@abovefloats` These options change the order and that's it. The important aspect is that they
`ds@belowfloats` are declared after the last two, otherwise they can't overwrite them.
`68 \DeclareOption{abovefloats}{\FN@abovefloatstrue \FN@fixskiptrue}`
`69 \DeclareOption{belowfloats}{\FN@abovefloatsfalse \FN@fixskiptrue}`

4.10 The `marginal` option

Again, the processing of the option is pretty trivial:
`70 \DeclareOption{marginal}{%`
`71 \footnotemargin-0.8em\relax`
`72 }`

4.11 The `flushmargin` option

Again, the processing of the option is pretty trivial:
`73 \DeclareOption{flushmargin}{%`
`74 \footnotemarginopt\relax`
`75 }`

4.12 The hang option

`\iffN@hangfoot` We need a switch, since `\@makefn` needs to be patched.

```
76 \newif\iffN@hangfoot \FN@hangfootfalse
77 \DeclareOption{hang}{%
78   \FN@hangfoottrue
79 }
```

`\hangfootparskip` Layout parameters for hanging footnotes; `\hangfootparskip` and `\hangfootparindent` are (respectively) values to use for `\parskip` and `\parindent` when in hanging footnotes.

```
80 \newcommand*\hangfootparskip{0.5\baselineskip}
81 \newcommand*\hangfootparindent{0em}%
```

4.13 The norule option

Pretty simple too...

```
82 \DeclareOption{norule}{%
83   \renewcommand\footnoterule{}%
84   \advance\skip\footins 4\p@\@plus2\p@\relax
85 }
```

4.14 The splitrule option

`\split@prev` This is from a posting by Donald Arseneau dated 13 November 1996. The code relies on the fact that L^AT_EX only uses inserts for footnotes, so that if any insert is going to be split, it's going to be a footnote.

```
86 \DeclareOption{splitrule}{%
87   \gdef\split@prev{0}
```

`\pagefootnoterule` Define defaults for the three footnote rules: note, we inherit the current state of `\mpfootnoterule` `\footnoterule` for the two 'regular' footnote defaults, and if we've been preceded by option `norule`, they will both become null...

```
88 \let\pagefootnoterule\footnoterule
89 \let\mpfootnoterule\footnoterule
90 \def\splitfootnoterule{\kern-3\p@ \hrule \kern2.6\p@}
```

Now redefine `\footnoterule` to distinguish the three situations.

```
91 \def\footnoterule{\relax
92   \ifx \@listdepth\@mplistdepth
```

In a minipage

```
93   \mpfootnoterule
94   \else
95     \ifnum\split@prev=\z@
```

Normal footnote on a regular page

```
96     \pagefootnoterule
97     \else
```

Second part of a split footnote

```
98     \splitfootnoterule
99     \fi
```

Remember a split for next page

```
100 \xdef\split@prev{\the\insertpenalties}%
101 \fi
102 }%
103 }
```

`\ifFN@stablefootnote` 4.15 The stable option

Simply set a flag: the code of this gets executed at the very end of the package.

```
104 \newif\ifFN@stablefootnote \FN@stablefootnotefalse
105 \DeclareOption{stable}{\FN@stablefootnotetrue}
```

4.16 The multiple option

`\ifFN@multiplefootnote` Again, simply set a flag, for code that gets executed at the very very very end of the package.

```
106 \newif\ifFN@multiplefootnote \FN@multiplefootnotefalse
107 \DeclareOption{multiple}{\FN@multiplefootnotetrue}
```

4.17 The start of the endgame

Exercise the options that the user has requested...

```
108 \ProcessOptions
```

5 Interfacing with the output routine

The different strategies for footnote placements in relationship to float are implemented using the socket `build/column/outputbox`. This is done based on the flags set in option processing.

We also have to handle \LaTeX 's bottom skip bug and the handling of paragraph footnotes if requested.

5.1 Handling paragraph footnotes

If the `para` option is given we implement that by providing a plug for the socket `build/column/footnotes`.

```
109 \ifFN@para
110 \NewSocketPlug{build/column/footnotes}{para}{%
111 \global\setbox\footins\vbox{\FN@makefootnoteparagraph}%
112 }
113 \AssignSocketPlug{build/column/footnotes}{para}
114 \fi
```

5.2 Not fixing the \LaTeX bottom skip bug

If we don't want to fix \LaTeX 's bottom skip bug (for compatibility with old documents) we do this by simply making two commands do nothing:

```
115 \ifFN@fixskip \else
116 \let\@outputbox@removebskip \relax
```

```

117 \let\@outputbox@reinsertbskip\relax
118 \fi

```

5.3 The configuration of the build/column/outputbox socket based on options

Placement of footnotes in relation to main galley and floats is covered by the value of `\FN@bottomcases` (type of bottom option) and the status of the switch `@abovefloats`. Depending on their settings we assign different plugs (already defined in L^AT_EX) to the socket `build/column/outputbox`.

```

119 \ifcase \FN@bottomcases\relax
120 %-----
121 % 0 = undefined
122 %-----
123 \ERROR
124 \or
125 %-----
126 % 1 = bottom option given
127 %-----

```

All excess space are above the footnote and bottom float blocks. The order of the blocks depend on `@abovefloats`:

```

128 \ifFN@abovefloats
129 %-----

```

If footnotes above floats then both are at the bottom:

```

130 \AssignSocketPlug {build/column/outputbox}{space-footnotes-floats}
131 %-----
132 \else

```

Otherwise only the footnotes are at the very bottom and floats stay close to the text:

```

133 \AssignSocketPlug {build/column/outputbox}{floats-space-footnotes}
134 \fi
135 \or
136 %-----
137 % 2 = bottomfloats option given
138 %-----
139 \ifFN@abovefloats
140 %-----

```

Footnotes first then space then floats at bottom:

```

141 \AssignSocketPlug {build/column/outputbox}{footnotes-space-floats}
142 %-----
143 \else

```

If `belowfloats` was given too, then the excess space ends up directly below the text

```

144 \AssignSocketPlug {build/column/outputbox}{space-floats-footnotes}
145 %-----
146 \fi
147 \or
148 %-----
149 % 3 = neither bottom nor bottomfloats given
150 %-----

```


In this case any excess space distribution is handled by `\raggedbottom` or `\flushbottom` settings. In case of `\raggedbottom` it goes to the bottom but we don't append `\vfill` there. Instead we make use of the fact that `\raggedbottom` already puts a stretchable space there, and if we are in a `\flushbottom` scenario then any excess space is supposed to be distributed across the whole page.

```

151 \ifFN@abovelfloats
152 %-----
153     \AssignSocketPlug {build/column/outputbox}{footnotes-floats}
154 \else
155 %-----

```

Same thing but with blocks swapped.

```

156     \AssignSocketPlug {build/column/outputbox}{floats-footnotes}
157 %-----
158 \fi
159 \else
160 %-----
161 % 3 > undefined
162 %-----

```

The `\ERROR` here and above should never execute, like “This can't happen” in the `TEX` program code. If they execute then code is badly broken.

```

163 \ERROR
164 \fi
165

```

5.4 The requirements of `\@footnotetext`

Instead of (re)defining `\@footnotetext` we define `\FN@footnotetext` and at the end we check what we do with it, depending on whether or not `hyperref` was loaded.

`\ifFN@baselinestretch` Whatever we do, we are going to patch `\@footnotetext`; so first of all, we'll check `\FN@singlespace` it's not been hacked by anyone other than `setspace.sty` (while we're at it we also record whether `setspace` is loaded). so we do this here:

```

166 \newif\ifFN@setspace
167 \ifpackageloaded{setspace}%
168   {%
169     \FN@setspacetrue
170     \@ifclassloaded{memoir}%

```

We're seeing `memoir`'s emulation of `setspace`

```

171   {%
172     \let\FN@baselinestretch\m@m@singlespace
173   }%

```

We're seeing `setspace` in its own right

```

174   {%
175     \let\FN@baselinestretch\setspace@singlespace
176   }%
177 }%
178 {%
179   \FN@setspacefalse
180 }

```

There's substantial patching to be done if we're doing paragraph footnotes:

```

181 \ifFN@para
182   \long\def\FN@footnotetext#1{%
183     \insert\footins{%
insert compatibility code with setspace.sty if necessary
184       \ifFN@setspace
185         \let\baselinestretch\FN@baselinestretch
186         \fi
187         \reset@font\footnotesize
188         \interlinepenalty\interfootnotelinepenalty
189         \splittopskip\footnotesep
190         \splitmaxdepth \dp\strutbox
191         \floatingpenalty\@MM
192         \hsize\columnwidth
193         \@parboxrestore
194
195         \def\@currentcounter{footnote}%
196         \protected@edef\@currentlabel{\csname p@footnote\endcsname\@thefnmark}%
197         \color@begingroup

```

We set the paragraph in an `\hbox` and apply the fudge factor here (these days done with eTeX methods):

```

197     \setbox\FN@tempboxa\hbox{%

```

This needs a parameter; the rule should be moved to the beginning of the footnote paragraph, but the `\ignorespaces` should be left here.

```

198     \makefntext{\ignorespaces#1\strut

```

We insert a penalty here to help line breaking in the footnote paragraph; the value is taken from the TeXbook.

```

199         \penalty-10\relax
200         \hskip\footglue
201     }% end of \makefntext parameter
202 }% end of \hbox
203 \dp\FN@tempboxa\z@
204 \ht\FN@tempboxa\dimexpr\wd\FN@tempboxa *%
205     \footnotebaselineskip / \columnwidth\relax
206 \box\FN@tempboxa
207 \color@endgroup
208 }%
209 \FN@mf@prepare
210 }

```

If we're not doing paragraph footnotes, we now simply tag a `\FN@mf@prepare` command on the end of the definition; of course, there are different definitions according as whether we're using side footnotes...

```

211 \else
212   \ifFN@sidefn
213     \long\def\FN@footnotetext#1{%
214       \marginpar{%
insert compatibility code with setspace.sty if necessary
215         \ifFN@setspace
216         \let\baselinestretch\FN@baselinestretch

```

```

217     \fi
218     \reset@font\footnotesize
219     \def\@currentcounter{footnote}%
220     \protected@edef\@currentlabel{%
221       \csname p@footnote\endcsname\@thefnmark
222     }%
223     \color@begingroup
224     \@makefnstext{%
225       \ignorespaces#1%
226     }%
227     \color@endgroup
228   }%
229   \FN@mfb@prepare
230 }%
231 \else
232   \long\def\FN@footnotetext#1{%
233     \insert\footins{%
insert compatibility code with setspace if necessary
234       \ifFN@setspace
235         \let\baselinestretch\FN@baselinestretch
236       \fi
237       \reset@font\footnotesize
238       \interlinepenalty\interfootnotelinepenalty
239       \splittopskip\footnotesep
240       \splitmaxdepth \dp\strutbox
241       \floatingpenalty\@MM
242       \hsize\columnwidth
243       \@parboxrestore
244       \def\@currentcounter{footnote}%
245       \protected@edef\@currentlabel{%
246         \csname p@footnote\endcsname\@thefnmark
247       }%
248       \color@begingroup
249       \@makefnstext{%
250         \rule\z@\footnotesep
251         \ignorespaces#1\@finalstrut\strutbox
252       }%
253       \color@endgroup
254     }%
255     \FN@mfb@prepare
256   }%
257   \fi
258 \fi

```

5.5 Support code for paragraph footnotes

This code used (most inefficiently) to be in the argument of the `\DeclareOption`; this no doubt comes of that code having been written over Christmas 1993...

Now all executed under the `para` conditional set in the option declaration.

```
259 \ifFN@para
```

```

\FN@tempboxa We need some temporary boxes, and LATEX only defines one
\FN@tempboxb
\FN@tempboxb

```

```

260 \let\FN@tempboxa\@tempboxa
261 \newbox\FN@tempboxb
262 \newbox\FN@tempboxc

```

`\footglue` A direct crib from the T_EXbook:

```

263 \newskip\footglue \footglue=1em plus.3em minus.3em

```

`\@makefntext` The standard classes set the footnote mark flush with the text of the footnote, but that's not appropriate for paragraph footnotes, we find.

There's not much point in patching this code from the original, since the only things it has in common with the original are the footnote mark and the footnote text (which last is the argument). Note that the `\leavevmode` isn't necessary except in the case of footnotes in minipages, which otherwise end up with the `\@makefnmark` being executed in restricted vertical mode, which results in its `\hbox` ending up in a line of its own.

```

264 \long\def\@makefntext#1{\leavevmode
265   \@makefnmark\nobreak
266   \hskip.5em\relax#1%
267 }

```

`\footnotebaselineskip` We need to record a value for the baseline skip when in footnotes:

```

268 \newdimen\footnotebaselineskip
269 {%
270   \footnotesize
271   \global
272   \footnotebaselineskip=\normalbaselineskip
273 }

```

`\FN@makefootnoteparagraph` For use in the output routine

```

274 \long\def\FN@makefootnoteparagraph{\unvbox\footins \FN@makehboxofhboxes
275   \setbox\FN@tempboxa=\hbox{\unhbox\FN@tempboxa \FN@removehboxes}%

```

Now we are ready to set the paragraph:

```

276   \FN@setfootnoteparawidth
277   \@parboxrestore
278   \baselineskip=\footnotebaselineskip
279   \noindent
280   \rule{\z@}{\footnotesep}%
281   \unhbox\FN@tempboxa\par
282 }

```

`\FN@makehboxofhboxes` Support code for `\FN@makefootnoteparagraph`

```

\FN@removehboxes 283 \def\FN@makehboxofhboxes{\setbox\FN@tempboxa=\hbox{}}%
284   \loop
285     \setbox\FN@tempboxb=\lastbox
286     \ifhbox\FN@tempboxb
287     \setbox\FN@tempboxa=\hbox{\box\FN@tempboxb\unhbox\FN@tempboxa}%
288     \repeat
289 }
290 \def\FN@removehboxes{\setbox\FN@tempboxa=\lastbox
291   \ifhbox
292     \FN@tempboxa{\FN@removehboxes}%
293     \unhbox\FN@tempboxa

```

```

294 \fi
295 }
296 \fi

```

`\FN@setfootnoteparawidth` What we have to use as the width for the footnote paragraph depends on whether or not we typeset in several columns. If single column or normal two-column is used then the right value is `\columnwidth`. However, inside a `multicols` environment we need to use `\textwidth` as the footnotes there will span across all columns.

To detect if we are inside such an environment we look at `\doublecolnumber` which is only positive if inside such an environment.

```

297 \ifpackageloaded{multicol}
298   {\def\FN@setfootnoteparawidth
299     {\hsize\ifnum\doublecol@number>\@ne
300       \textwidth
301       \else \columnwidth \fi}}
302   {\def\FN@setfootnoteparawidth{\hsize\columnwidth}}

```

5.6 The other footnote commands

We delegate the `perpage` option to a different package ...

```

303 \ifFN@perpage
304   \RequirePackage{perpage}
305   \MakePerPage{footnote}

```

Unfortunately `perpage` has a bug and doesn't handle founters correctly which are part of a reset list of another counter, e.g., it doesn't work correctly if you use the `report` class which resets footnotes at each chapter start. As a result the first footnote on the first page of a chapter starts with 2. We therefore alter one L^AT_EX internal if `perpage` is in use:

```

306 \def\@stpelt#1{\global\csname c@#1\endcsname \m@ne
307   \stepcounter{#1}%
308   \pp@fix@MakePerPage{#1}%
309 }
310 \def\pp@fix@MakePerPage#1{%
311   \ifnum \value{#1}>\z@
312     \addtocounter{#1}\m@ne\fi
313 }

```

The above code may look a bit odd: the `\stepcounter` sets the counter to zero and then we alter it if it is not zero. The reason is that `\stepcounter` resets other counters and when `perpage` is loaded this results in updating counters on the reset list to 1 (or to a higher starting value if `\MakePerPage` is used with an optional argument, which is precisely the problem here. By subtracting 1 in that case we set it back to 1 lower than the starting value.

But to make this fully work we also need to update a support command in `perpage`:

```

314 \def\pp@c1@end@iii\stepcounter#1\pp@fix@MakePerPage#2{}
315 \fi

```

Finally, if we're not doing paragraph footnotes, we redefine `\@makefnstext` to take account of the value of `\footnotemargin`, to impose `\footnotelayout`, and to make the footnote body text hang, if appropriate.

```

316 \iffN@para
317 \else
    hanging footnote version:
318 \long\def\@makefntext#1{%
319 \iffN@hangfoot
320 \bgroup
    get the marker so we can measure it:
321 \setbox\@tempboxa\hbox{%
322 \ifdim\footnotemargin>0pt
323 \hb@xt@\footnotemargin{\@makefnmark\hss}%
324 \else
325 \@makefnmark
326 \fi
327 }%
    use the width of the box to set up hanging (potentially for more than one
    paragraph); note that the hanging \parskip and \parindent are set after we've
    executed \leavevmode(!)
328 \leftmargin\wd\@tempboxa
329 \rightmargin\z@
330 \linewidth \columnwidth
331 \advance \linewidth -\leftmargin
332 \parshape \@ne \leftmargin \linewidth
    We also update \@totalleftmargin so that display environments, such as quote if
    used inside the footnote know about the hanging indentation (otherwise something
    like quote isn't centered in the available space):
333 \@totalleftmargin \leftmargin
334 \footnotesize
    stop the \parshape being overwritten:
335 \@setpar{\@par}}%
    and finally put the marker in its chosen place:
336 \leavevmode
337 \llap{\box\@tempboxa}%
338 \parskip\hangfootparskip\relax
339 \parindent\hangfootparindent\relax
340 \else
    ordinary (non-hanging) footnote version:
341 \parindent1em
342 \noindent
343 \ifdim\footnotemargin>\z@
344 \hb@xt@ \footnotemargin{\hss\@makefnmark}%
345 \else
346 \ifdim\footnotemargin=\z@
347 \llap{\@makefnmark}%
348 \else
349 \llap{\hb@xt@ -\footnotemargin{\@makefnmark\hss}}%
350 \fi
351 \fi
352 \fi
353 \footnotelayout#1%

```

```

    if we're hanging, close the hang group
354     \ifFN@hangfoot
355     \par\egroup
356     \fi
357   }
358 \fi

```

6 Remaining requirements

We have to insert the code that executes the `stable` and `multiple` options. Since `stable` may suppress the setting of a footnote altogether, we put the `multiple` option first, as otherwise we might get isolated superscripted commas that separate footnotes that have otherwise been suppressed.

6.1 The code that executes the `multiple` option

`\multiplefootnotemarker` This (revised) code derives from a suggestion by Alexander Rozhenko (the author of the *manyfoot* package): the intention is that *footmisc* and *many-foot* should be able to ‘interwork’, in the sense that each would recognize the other’s footnote marks and behave appropriately. The trick is that both `\FN@mf@prepare` `\footnote` and `\FN@mf@check` `\footnotemark` insert a marker (a cancelling pair of kerns of `\multiplefootnotemarker` (of opposite signs), which is detected in following `\footnote` or `\footnotemark` commands. Note we have to take special precautions to ensure that the kerns are the last things added to the horizontal list by the commands.

```

359 \ifFN@multiplefootnote
360   \providecommand*\multiplefootnotemarker}{3sp}
361   \providecommand*\multfootsep}{,}
362 %
363 % FMi: not checking, more harm than gain
364 % \CheckCommand*\@footnotemark{%
365 %   \leavevmode
366 %   \ifhmode\edef\x@sf{\the\spacefactor}\nobreak\fi
367 %   \@makefnmark
368 %   \ifhmode\spacefactor\x@sf\fi
369 %   \relax
370 % }
371 %
372 \newcommand*\FN@footnotemark{%
373   \leavevmode
374   \ifhmode
375     \edef\x@sf{\the\spacefactor}%
376     \FN@mf@check
377     \nobreak
378     \fi
379   \@makefnmark
380   \FN@mf@prepare
381   \ifhmode\spacefactor\x@sf\fi
382   \relax
383 }
384 \def\FN@mf@prepare{%

```

```

385   \kern-\multiplefootnotemarker
386   \kern\multiplefootnotemarker\relax
387 }
388 \def\FN@mf@check{%
389   \ifdim\lastkern=\multiplefootnotemarker\relax
390     \edef\@x@sf{\the\spacefactor}%
391     \unkern
392     \textsuperscript{\multfootsep}%
393     \spacefactor\@x@sf\relax
394   \fi
395 }

```

If we're not doing multiple, just create an empty \FN@mf@prepare

```

396 \else
397   \let\FN@mf@prepare\relax

```

Need to provide a definition for \FN@footnotemark in that case.

```

398 \let\FN@footnotemark\@footnotemark
399 \fi

```

6.2 The code that executes the stable option

`\ifFN@stablefootnote` The basic idea is to use the ‘original’ code of `\footnote` (which this package `\FN@sf@@footnote` may have hacked around something chronic) only if we’re in typesetting mode (as determined by the state of the `\protect` command. Otherwise, the command becomes an elaborate multistage ‘gobble’.

```

400 \ifFN@stablefootnote
401 \let\FN@sf@@footnote\footnote
402 \def\footnote{\ifx\protect\@typeset@protect
403   \expandafter\FN@sf@@footnote
404   \else
405     \expandafter\FN@sf@gobble@opt
406   \fi
407 }

```

`\FN@sf@gobble@opt` Define `\FN@sf@gobble@opt` as a robust command that gobbles either an optional `\FN@sf@gobble@twobracket` and a mandatory argument, or just a mandatory one.

```

408 \edef\FN@sf@gobble@opt{\noexpand\protect
409   \expandafter\noexpand\csname FN@sf@gobble@opt \endcsname}
410 \expandafter\def\csname FN@sf@gobble@opt \endcsname{%
411   \@ifnextchar[%]
412     \FN@sf@gobble@twobracket
413     \@gobble
414 }
415 \def\FN@sf@gobble@twobracket[#1]#2{}

```

`\FN@sf@@footnotemark` Now the same for `\footnotemark`

```

\FN@sf@gobble@optonly 416 \let\FN@sf@@footnotemark\footnotemark
\FN@sf@gobble@bracket 417 \def\footnotemark{\ifx\protect\@typeset@protect
418   \expandafter\FN@sf@@footnotemark
419   \else
420     \expandafter\FN@sf@gobble@optonly
421   \fi
422 }

```



```

423 \edef\FN@sf@gobble@optonly{\noexpand\protect
424 \expandafter\noexpand\csname FN@sf@gobble@optonly \endcsname}
425 \expandafter\def\csname FN@sf@gobble@optonly \endcsname{%
426 \@ifnextchar [%]
427 \FN@sf@gobble@bracket
428 }%
429 }
430 \def\FN@sf@gobble@bracket[#1]{
431 \fi

```

7 Symbol option variants

`\setfnsymbol` Lamport’s choice of symbols for `\fnsymbol` wasn’t entirely “traditional”, so we `\FN@fnsymbol@lamport` (now) provide alternatives. The `\setfnsymbol` command offers a small number of choices, and the user may define more still, using the `\DefineFnsymbols` or `\DefineFnsymbolsTM` commands, defined below.

```

432 \newcommand\setfnsymbol[1]{%
433 \@bsphack
434 \@ifundefined{FN@fnsymbol@#1}%
435 {%
436 \PackageError{footmisc}{Symbol style "#1" not known}%
437 \@eha
438 }{%
439 \expandafter\let\expandafter\@fnsymbol\csname
440 FN@fnsymbol@#1\endcsname
441 }%
442 \@esphack
443 }

```

The default selection is Lamport’s original, as represented in current L^AT_EX — we preserve it in case we need to “get back” to it.

```

444 \let\FN@fnsymbol@lamport\@fnsymbol
445 \endpackage

```

`\if@tempswb` We need another temp conditional

```

\@tempswbfalse 446 \newif\if@tempswb
\@tempswbtrue

```

`\DefineFnsymbols` The macro `\DefineFnsymbols` allows the user to define a set of footnote symbols, to be used with the `\setfnsymbol` command. Syntax:

```

\@DefineFnsymbols@ \DefineFnsymbols[*]{\set name}{\style}{\symbol list}
\FN@build@symboldef

```

If the optional asterisk is present, the set defined will produce an error if the symbol number is too large; otherwise it will quietly change to numbering in place of symbol use (a warning is produced at the end of the document). The set name is the future argument of `\setfnsymbol`. The style (default `text`) gives the style the symbols are typeset (this is the *correct* method, but unfortunately not all symbols, even for Lamport’s original set for L^AT_EX `\fnsymbol` may be expressed this way in a sufficiently old L^AT_EX distribution). The symbol list is a set of objects to be used when the set is selected.

Example of use:

define a direct replacement for Lamport’s original `\fnsymbol` command —

```

\DefineFnsymbols*{lamport}[math]{*\dagger\ddagger\mathsection

```

```

\mathparagraph\|{**}{\dagger\dagger}{\ddagger\ddagger}%
}

```

Note that doubled-up (and worse — see below) symbols need braces around them.

```

447 \DeclareDocumentCommand\DefineFNSymbols {smO{text}m}{%
448 \expandafter\ifx\csname FN@fnsymbol@#2\endcsname\relax
449 \PackageInfo{footmisc}{Declaring symbol style #2}%
450 \else
451 \PackageWarning{footmisc}{Redeclaring symbol style #2}%
452 \fi
453 \toks@{}}%
454 \def\@tempb{\end}%
455 \FN@build@symboldef#4\end
456 \def\@tempc{math}%
457 \def\@tempd{#3}%
458 \expandafter\xdef\csname FN@fnsymbol@#2\endcsname##1{%
459 \ifx\@tempc\@tempd
460 \noexpand\ensuremath
461 \else
462 \noexpand\nfss@text
463 \fi
464 {%
465 \noexpand\ifcase##1%
466 \the\toks@
467 \noexpand\else
468 \IfBooleanTF#1{\noexpand\@ctrerr}%
469 {\noexpand\FN@orange##1}%
470 \noexpand\fi
471 }%
472 }%
473 }

474 \def\FN@build@symboldef#1{%
475 \def\@tempa{#1}%
476 \ifx\@tempa\@tempb
477 \else
478 \toks@\expandafter{\the\toks@\or#1}%
479 \expandafter\FN@build@symboldef
480 \fi
481 }

```

`\DefineFNSymbolsTM` Now do the same job for the “modern” way of having both text and maths variants

`\@DefineFNSymbolsTM` of everything.

```

\FN@build@symboldefTM 482 \DeclareDocumentCommand\DefineFNSymbolsTM {smm}{%
483 \expandafter\ifx\csname FN@fnsymbol@#2\endcsname\relax
484 \PackageInfo{footmisc}{Declaring symbol style #2}%
485 \else
486 \PackageWarning{footmisc}{Redeclaring symbol style #2}%
487 \fi
488 \toks@{}}%
489 \def\@tempb{\end}%
490 \FN@build@symboldefTM#3\end\@null
491 \expandafter\xdef\csname FN@fnsymbol@#2\endcsname##1{%
492 \noexpand\ifcase##1%
493 \the\toks@

```

```

494 \noexpand\else
495 \IfBooleanTF#1{\noexpand\ctrerr}%
496 {\noexpand\FN@orange##1}%
497 \noexpand\fi
498 }%
499 }

```

Note that this version has two variants of every definition, so needs two stopper codes above.

```

500 \def\FN@build@symboldefTM#1#2{%
501 \def\@tempa{#1}%
502 \ifx\@tempa\@tempb
503 \else
504 \toks@\expandafter{\the\toks@\or\TextOrMath{#1}{#2}}%
505 \expandafter\FN@build@symboldefTM
506 \fi
507 }

```

`\FN@orange` Macros to deal with footnote symbols going out of range (when they're allowed to—e.g., in the `symbol*` option).

```

\@diagnose@fnsymbol@orange 508 \def\FN@orange#1{%
509 \ifFN@robust
510 \@arabic#1%
511 \@bsphack
512 \PackageInfo{footmisc}{Footnote number \number#1 out of range}%
513 \protect\@fnsymbol@orange
514 \@esphack
515 \else \ctrerr \fi
516 }
517 \global\let\@diagnose@fnsymbol@orange\relax
518 \AtEndDocument{\@diagnose@fnsymbol@orange}
519 \def\@fnsymbol@orange{%
520 \gdef\@diagnose@fnsymbol@orange{%
521 \PackageWarningNoLine{footmisc}{Some footnote number(s)
522 were out of range
523 \MessageBreak
524 see log for details%
525 }%
526 }%
527 }

```

`\FN@fnsymbol@bringhurst` These macros provide replacement orderings (and symbol sets) for footnote symbols, plus a robust version of the original Lamport set, and an extended version of Lamport's original

```

\@diagnose@fnsymbol@bringhurst 528 \DefineFNSymbolsTM{bringhurst}{%
\@diagnose@fnsymbol@chicago 529 \textasteriskcentered *%
\@diagnose@fnsymbol@wiley 530 \textdagger \dagger
531 \textdaggerdbl \ddagger
532 \textsection \mathsection
533 \textbardbl \||%
534 \textparagraph \mathparagraph
535 }%
\@diagnose@fnsymbol@lamport-robust 536 \DefineFNSymbolsTM{chicago}{%
\@diagnose@fnsymbol@lamport 537 \textasteriskcentered *%

```

```

538 \textdagger \dagger
539 \textdaggerdbl \ddagger
540 \textsection \mathsection
541 \textbardbl \||%
542 \#\#%
543 }%
544 \DefineFNsymbolsTM{wiley}{%
545 \textasteriskcentered *%
546 {\textasteriskcentered\textasteriskcentered}{**}%
547 \textdagger \dagger
548 \textdaggerdbl \ddagger
549 \textsection \mathsection
550 \textparagraph \mathparagraph
551 \textbardbl \||%
552 }%
553 \DefineFNsymbolsTM{lampport-robust}{%
554 \textasteriskcentered *%
555 \textdagger \dagger
556 \textdaggerdbl \ddagger
557 \textsection \mathsection
558 \textparagraph \mathparagraph
559 \textbardbl \||%
560 {\textasteriskcentered\textasteriskcentered}{**}%
561 {\textdagger\textdagger}{\dagger\dagger}%
562 {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}%
563 }
564 \DefineFNsymbolsTM*{lampport*}{%
565 \textasteriskcentered *%
566 \textdagger \dagger
567 \textdaggerdbl \ddagger
568 \textsection \mathsection
569 \textparagraph \mathparagraph
570 \textbardbl \||%
571 {\textasteriskcentered\textasteriskcentered}{**}%
572 {\textdagger\textdagger}{\dagger\dagger}%
573 {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}%
574 {\textsection\textsection}{\mathsection\mathsection}%
575 {\textparagraph\textparagraph}{\mathparagraph\mathparagraph}%
576 {\textasteriskcentered\textasteriskcentered\textasteriskcentered}{***}%
577 {\textdagger\textdagger\textdagger}{\dagger\dagger\dagger}%
578 {\textdaggerdbl\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger\ddagger}%
579 {\textsection\textsection\textsection}%%
580 {\mathsection\mathsection\mathsection}%
581 {\textparagraph\textparagraph\textparagraph}%%
582 {\mathparagraph\mathparagraph\mathparagraph}%
583 }
584 \setfnsymbol{lampport*}
585 \DefineFNsymbolsTM{lampport*-robust}{%
586 \textasteriskcentered *%
587 \textdagger \dagger
588 \textdaggerdbl \ddagger
589 \textsection \mathsection
590 \textparagraph \mathparagraph
591 \textbardbl \||%

```

```

592 {\textasteriskcentered\textasteriskcentered}{**}%
593 {\textdagger\textdagger}{\dagger\dagger}%
594 {\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger}%
595 {\textsection\textsection}{\mathsection\mathsection}%
596 {\textparagraph\textparagraph}{\mathparagraph\mathparagraph}%
597 {\textasteriskcentered\textasteriskcentered\textasteriskcentered}{***}%
598 {\textdagger\textdagger\textdagger}{\dagger\dagger\dagger}%
599 {\textdaggerdbl\textdaggerdbl\textdaggerdbl}{\ddagger\ddagger\ddagger}%
600 {\textsection\textsection\textsection}%%
601   {\mathsection\mathsection\mathsection}%
602 {\textparagraph\textparagraph\textparagraph}%%
603   {\mathparagraph\mathparagraph\mathparagraph}%
604 }

```

8 Other miscellaneous commands

8.1 Minipage \footnotemarks

`\mpfootnotemark` Syntax: `\mpfootnotemark[number]`

Here we define `\mpfootnotemark`, which has the same syntax as `\footnotemark`, and which applies the semantics of `\footnotemark` to the minipage footnote series.

```

605 \newcommand\mpfootnotemark{%
606   \@ifnextchar[%
607     \@xmpfootnotemark
608     {%
609       \stepcounter\@mpfn
610       \protected@xdef\@thefnmark{\thempfn}%
611       \@footnotemark
612     }%
613 }
614 \def\@xmpfootnotemark[#1]{%
615   \begingroup
616     \csname c@\@mpfn\endcsname #1\relax
617     \unrestored@protected@xdef\@thefnmark{\thempfn}%
618   \endgroup
619   \@footnotemark
620 }

```

If `hyperref` was loaded first, it has saved `\@footnotetext` and `\@footnotemark` away and then redefined them. The saved versions are now wrong, so we reassign them.

```

621 \@ifpackageloaded{hyperref}{%
622   \let\H@@footnotetext\FN@footnotetext
623   \let\H@@footnotemark\FN@footnotemark
624 }{%

```

If `hyperref` wasn't loaded we copy our new definitions to `\@footnotetext` and `\@footnotemark` for actual use. If `hyperref` is loaded later it will do its magic and save our definitions.

```

625   \let \@footnotetext \FN@footnotetext
626   \let \@footnotemark \FN@footnotemark
627 }

```

This is only needed until the first aid is in L^AT_EX or the package is fixed.

```

628 \AddToHook{file/marginfix.sty/after}[footmisc]{%
629   \FirstAidNeededT{marginfix}{sty}%
630   {2020/05/06 v1.2 Fix Margin Paragraphs}%
631   {\let \outputbox@attachfloats \@combinefloats}%
632 }
633 \DeclareHookRule{file/marginfix.sty/after}{firstaid}{voids}{footmisc}

634 \endinput
635 \</package>

```

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols		A
<code>\@@dvance@macro</code>	<code>\@makefn</code> <i>198, 201,</i>	<code>\addtocounter</code> <i>312</i>
<code>\@@par</code> <i>335</i>	<i>224, 249, <u>264</u>, 318</i>	<code>\AddToHook</code> <i>628</i>
<code>\@DefineFNSymbols</code> . <i>447</i>	<code>\@mpfn</code> <i>609, 616</i>	<code>\AssignSocketPlug</code> .
<code>\@DefineFNSymbols@</code> . <i>447</i>	<code>\@mplistdepth</code> <i>92</i>	. <i>113, 130, 133,</i>
<code>\@DefineFNSymbolsTM</code> <i>482</i>	<code>\@ne</code> <i>60, 299, 332</i>	<i>141, 144, 153, 156</i>
<code>\@advance@macro</code> <i>8</i>	<code>\@null</code> <i>490</i>	<code>\AtEndDocument</code> <i>518</i>
<code>\@arabic</code> <i>510</i>	<code>\@outputbox@attachfloats</code>	<code>\AtEndOfPackage</code> <i>21</i>
<code>\@auxout</code> <i>6</i> <i>631</i>	
<code>\@bsphack</code> <i>433, 511</i>	<code>\@outputbox@reinsertbskip</code>	B
<code>\@combinefloats</code> . . . <i>631</i> <i>117</i>	<code>\baselineskip</code> . . <i>80, 278</i>
<code>\@ctrerr</code> . . <i>468, 495, 515</i>	<code>\@outputbox@removebskip</code>	<code>\baselinestretch</code> . .
<code>\@currentcounter</code> <i>116</i> <i>185, 216, 235</i>
. <i>194, 219, 244</i>	<code>\@parboxrestore</code> . . .	
<code>\@currentlabel</code> <i>193, 243, 277</i>	C
. <i>195, 220, 245</i>	<code>\@plus</code> <i>84</i>	<code>\c@footnote</code> <i>19</i>
<code>\@diagnose@fnsymbol@orange</code>	<code>\@setpar</code> <i>335</i>	<code>\CheckCommand</code> <i>364</i>
. <i>508</i>	<code>\@stpelt</code> <i>306</i>	<code>\color@begingroup</code> .
<code>\@eha</code> <i>437</i>	<code>\@tempa</code> <i>475, 476, 501, 502</i> <i>196, 223, 248</i>
<code>\@empty</code> <i>41</i>	<code>\@tempb</code> <i>454, 476, 489, 502</i>	<code>\color@endgroup</code> . . .
<code>\@esphack</code> <i>442, 514</i>	<code>\@tempboxa</code> <i>207, 227, 253</i>
<code>\@finalstrut</code> <i>251</i> <i>260, 321, 328, 337</i>	<code>\columnwidth</code> <i>192, 205,</i>
<code>\@fnsymbol</code> <i>19, 439, 444</i>	<code>\@tempc</code> <i>456, 459</i>	<i>242, 301, 302, 330</i>
<code>\@fnsymbol@orange</code> . <i>508</i>	<code>\@tempcnta</code> <i>9, 10, 11</i>	<code>\CurrentOption</code>
<code>\@footnotemark</code> <i>364,</i>	<code>\@tempd</code> <i>457, 459</i> <i>25, 27, 34, 36</i>
<i>398, 611, 619, 626</i>	<code>\@tempswbfalse</code> <i>446</i>	
<code>\@footnotetext</code> <i>625</i>	<code>\@tempswbtrue</code> <i>446</i>	D
<code>\@ifclassloaded</code> . . . <i>170</i>	<code>\@thefnmark</code> <i>195,</i>	<code>\DeclareDocumentCommand</code>
<code>\@ifpackageloaded</code> .	<i>221, 246, 610, 617</i> <i>447, 482</i>
. <i>167, 297, 621</i>	<code>\@totalleftmargin</code> . <i>333</i>	<code>\DeclareHookRule</code> . . <i>633</i>
<code>\@listdepth</code> <i>92</i>	<code>\@typeset@protect</code> .	<code>\DeclareOption</code> . <i>16,</i>
<code>\@makefnmark</code> . . <i>265,</i> <i>402, 417</i>	<i>18, 24, 33, 42,</i>
<i>323, 325, 344,</i>	<code>\@x@sf</code> <i>366, 368,</i>	<i>49, 54, 59, 64,</i>
<i>347, 349, 367, 379</i>	<i>375, 381, 390, 393</i>	<i>68, 69, 70, 73,</i>
	<code>\@xmpfootnotemark</code> .	<i>77, 82, 86, 105, 107</i>
 <i>607, 614</i>	<code>\DefineFNSymbols</code> . . <i>447</i>

<code>\DefineFNsymbolsTM</code> .	<code>\FN@multiplefootnotefalse</code>	<code>\footnotemargin</code>
. 482 , 528 , 536 , 106	14 ,
544 , 553 , 564 , 585	<code>\FN@multiplefootnotetrue</code>	71 , 74 , 322 , 323 ,
<code>\dimexpr</code> 204 107	343 , 344 , 346 , 349
<code>\doublecol@number</code> . 299	<code>\FN@orange</code> 469 , 496 , 508	<code>\footnotemark</code> . 416 , 417
<code>\ds@abovefloats</code> . . . 68	<code>\FN@parafalse</code> 23	<code>\footnoterule</code>
<code>\ds@belowfloats</code> . . . 68	<code>\FN@paratrue</code> 29 83 , 88 , 89 , 91
<code>\ds@bottom</code> 59	<code>\FN@perpagefalse</code> . . . 48	<code>\footnotesep</code>
<code>\ds@bottomfloats</code> . . 64	<code>\FN@perpagetrue</code> 50	. 189 , 239 , 250 , 280
	<code>\FN@pp@debugfalse</code> . . 53	<code>\footnotesize</code> . 187 ,
	<code>\FN@pp@debugtrue</code> . . 54	218 , 237 , 270 , 334
	<code>\FN@removehboxes</code> . .	
 275 , 283	
E		H
<code>\ERROR</code> 123 , 163	<code>\FN@robustfalse</code> 17	<code>\H@footnotemark</code> . . 623
	<code>\FN@robustrue</code> 20	<code>\H@footnotetext</code> . . 622
	<code>\FN@setfootnoteparawidth</code>	<code>\hangfootparindent</code> .
 276 , 297 80 , 339
F	<code>\FN@setspacefalse</code> . 179	<code>\hangfootparskip</code> 80 , 338
<code>\FirstAidNeededT</code> . . 629	<code>\FN@setspacetrue</code> . . 169	<code>\hb@xt@</code> . . . 323 , 344 , 349
<code>\floatingpenalty</code> . .	<code>\FN@sf@@footnote</code> . . 400	<code>\hrule</code> 90
. 191 , 241	<code>\FN@sf@@footnotemark</code>	<code>\hsize</code> 192 , 242 , 299 , 302
<code>\FN@abovefloatsfalse</code> 416	
. 61 , 69	<code>\FN@sf@gobble@bracket</code>	
<code>\FN@abovefloatstrue</code> 416	
. 58 , 66 , 68 405 , 408	
<code>\FN@baselinestretch</code>	<code>\FN@sf@gobble@optonly</code>	
. 172 , 416	
175 , 185 , 216 , 235	<code>\FN@sf@gobble@twobracket</code>	
<code>\FN@bottomcases</code> 408	
. 57 , 60 , 65 , 119	<code>\FN@sidesfnfalse</code> . . . 32	
<code>\FN@build@symboldef</code> 447	<code>\FN@sidesfntrue</code> 38	
<code>\FN@build@symboldefTM</code>	<code>\FN@singlespace</code> . . . 166	
. 482	<code>\FN@stablefootnotefalse</code>	
<code>\FN@fixskipfalse</code> . . 56 104	
<code>\FN@fixskiptrue</code> . . .	<code>\FN@stablefootnotetrue</code>	
. 62 , 66 , 68 , 69 105	
<code>\FN@fnsymbol@bringhurst</code>	<code>\FN@tempboxa</code> 197 , 203 ,	
. 528	204 , 206 , 260 ,	
<code>\FN@fnsymbol@chicago</code>	275 , 281 , 283 ,	
. 528	287 , 290 , 292 , 293	
<code>\FN@fnsymbol@lampion</code>	<code>\FN@tempboxb</code> . . 260 ,	
. 432 , 528	260 , 285 , 286 , 287	
<code>\FN@fnsymbol@lampion-robust</code>	<code>\FN@tempboxc</code> 262	
. 528	<code>\FN@temptoken</code> 4	
<code>\FN@fnsymbol@wiley</code> . 528	<code>\fnsymbol</code> 16	
<code>\FN@footnotemark</code> . .	<code>footglue</code> 200 , 263	
. 359 , 623 , 626	<code>footins</code> 84 ,	
<code>\FN@footnotetext</code> 182 ,	111 , 183 , 233 , 274	
213 , 232 , 622 , 625	<code>footnote</code> 401 , 402	
<code>\FN@hangfootfalse</code> . 76	<code>footnotebaselineskip</code>	
<code>\FN@hangfoottrue</code> . . 78 205 , 268 , 278	
<code>\FN@makefootnoteparagraph</code>	<code>footnotelayout</code> 41 , 353	
. 111 , 274		
<code>\FN@makehboxofhboxes</code>		
. 274 , 283		
<code>\FN@mfc@check</code> 359		
<code>\FN@mfc@prepare</code>		
. 209 , 229 , 255 , 359		

L			
<code>\l@advance@macro</code> . . .	8		
<code>\lastbox</code>	285, 290		
<code>\lastkern</code>	389		
<code>\leavevmode</code>	264, 336, 365, 373		
<code>\leftmargin</code>	328, 331, 332, 333		
<code>\linepenalty</code>	44, 45		
<code>\linewidth</code>	330, 331, 332		
<code>\llap</code>	337, 347, 349		
M			
<code>\m@msinglespace</code> . .	172		
<code>\m@ne</code>	306, 312		
<code>\MakePerPage</code>	305		
<code>\marginpar</code>	214		
<code>\mathparagraph</code>	534, 550, 558, 569, 575, 582, 590, 596, 603		
<code>\mathsection</code>	532, 540, 549, 557, 568, 574, 580, 589, 595, 601		
<code>\mpfootnotemark</code> . .	605		
<code>\mpfootnoterule</code> . .	88, 93		
<code>\multfootsep</code>	359		
<code>\multiplefootnotemark</code>	359		
N			
<code>\NeedsTeXFormat</code>	2		
<code>\NewSocketPlug</code>	110		
<code>\nfss@text</code>	462		
<code>\nobreak</code>	265, 366, 377		
<code>\noindent</code>	279, 342		
<code>\normalbaselineskip</code>	272		
<code>\number</code>	512		
P			
<code>\PackageError</code>	25, 34, 436		
<code>\PackageInfo</code>	449, 484, 512		
<code>\PackageWarning</code>	451, 486	545, 546, 554, 560, 565, 571, 576, 586, 592, 597	
<code>\PackageWarningNoLine</code>	521		
<code>\pagefootnoterule</code> . . .	88, 96	<code>\textbardbl</code>	
<code>\parindent</code>	339, 341	533, 541, 551, 559, 570, 591	
<code>\parshape</code>	332	<code>\textdagger</code>	
<code>\parskip</code>	338	530, 538, 547, 555, 561, 566, 572, 577, 587, 593, 598	
<code>\pp@cl@end@iii</code>	314	<code>\textdaggerdbl</code>	
<code>\pp@fix@MakePerPage</code>	308, 310, 314	531, 539, 548, 556, 562, 567, 573, 578, 588, 594, 599	
<code>\ProcessOptions</code>	108	<code>\TextOrMath</code>	
<code>\protected@edef</code>	195, 220, 245	504	
<code>\protected@write</code>	6	<code>\textparagraph</code>	
<code>\protected@writeaux</code> . .	5	534, 550, 558, 569, 575, 581, 590, 596, 602	
<code>\protected@xdef</code>	610	<code>\textsection</code>	
R		532, 540, 549, 557, 568, 574, 579, 589, 595, 600	
<code>\RaggedRight</code>	45	<code>\textsuperscript</code>	
<code>\raggedright</code>	44	392	
<code>\repeat</code>	288	<code>\textwidth</code>	
<code>\RequirePackage</code>	304	300	
<code>\reset@font</code>	187, 218, 237	<code>\thefootnote</code>	
<code>\rightmargin</code>	329	16, 19	
<code>\rule</code>	250, 280	<code>\thempfn</code>	
S		610, 617	
<code>\setfnsymbol</code>	21, 432, 584	<code>\thr@</code>	
<code>\setspace@singlespace</code>	175	453, 466, 478, 488, 493, 504	
<code>\spacefactor</code>	366, 368, 375, 381, 390, 393	<code>\tw@</code>	
<code>\split@prev</code>	86, 95, 100	65	
<code>\splitfootnoterule</code>	88, 98	U	
<code>\splitmaxdepth</code>	190, 240	<code>\unhbox</code>	275, 281, 287, 293
<code>\splittopskip</code>	189, 239	<code>\unkern</code>	391
<code>\stepcounter</code>	307, 314, 609	<code>\unrestored@protected@xdef</code>	617
<code>\strut</code>	198	<code>\unvbox</code>	274
<code>\strutbox</code>	190, 240, 251	V	
T		<code>\value</code>	311
<code>\textasteriskcentered</code>	529, 537,	Z	
<code>\z@</code>	95, 203, 250, 280, 311, 329, 343, 346		